
SENA



5R LITE

MOTORCYCLE BLUETOOTH® COMMUNICATION SYSTEM

USER'S GUIDE

Version 1.0.1

ENGLISH

TABLE OF CONTENTS

1. ABOUT THE 5R LITE 5

1.1 Product Features 5

1.2 Product Details 6

1.3 Package Contents 7

2. INSTALLING THE HEADSET ON YOUR HELMET 8

2.1 Preparing the Helmet for Installation 8

2.2 Using the Clamp for Headset Main Unit 8

2.3 Using the Glued Surface Mounting Adapter for Headset Main Unit 9

2.4 Installing the Speakers 10

2.5 Cables Organization 11

2.6 Adjusting the Microphone Position 11

3. GETTING STARTED 12

3.1 Downloadable Sena Software 12

3.1.1 Sena Motorcycles App 12

3.1.2 Sena Device Manager 12

3.2 Charging 12

3.3 Legend 13

3.4 Powering On and Off 13

3.5 Checking the Battery Level 14

3.6 Volume Adjustment 14

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES 15

4.1 Phone Pairing 15
- 4.1.1 Initially Pairing the 5R LITE 15
- 4.1.2 Pairing When the 5R LITE is Turned Off 16
- 4.1.3 Pairing When the 5R LITE is Turned On 16

4.2 Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10 17

4.3 GPS Pairing 18

4.4 Advanced Selective Pairing: Hands-Free or A2DP Stereo 19
- 4.4.1 Phone Selective Pairing - Hands-Free Profile 19
- 4.4.2 Media Selective Pairing - A2DP Profile 20

5. MOBILE PHONE USAGE 21

5.1 Making and Answering Calls 21

5.2 Speed Dialing 22
- 5.2.1 Assigning Speed Dial Presets 22
- 5.2.2 Using Speed Dial Presets 22

6. STEREO MUSIC 24

6.1 Bluetooth Stereo Music 24

6.2 Music Sharing 25

7. BLUETOOTH INTERCOM 26

7.1 Intercom Pairing 26
- 7.1.1 Using the Smart Intercom Pairing (SIP) 26
- 7.1.2 Using the Button 27

7.2 Last-Come, First-Served 28

7.3 Two-Way Intercom 29

8. UNIVERSAL INTERCOM 30

8.1 Universal Intercom Pairing 30

8.2 Two-Way Universal Intercom 31

9. FUNCTION PRIORITY AND FIRMWARE UPGRADES 32

9.1 Function Priority 32

9.2 Firmware Upgrades 32

10. CONFIGURATION SETTING 33

10.1 Headset Configuration Menu 33

10.1.1 Delete All Pairings 34

10.1.2 Remote Control Pairing 34

10.2 Software Configuration Setting 34

10.2.1 Headset Language 35

10.2.2 Audio Source Priority (Default: Intercom) 35

10.2.3 VOX Phone (Default: Enable) 35

10.2.4 VOX Intercom (Default: Disable) 35

10.2.5 Audio Multitasking™ (Default: Disable) 36

10.2.6 Background Volume (Default: Level 5) 37

10.2.7 HD Intercom (Default: Enable) 37

10.2.8 HD Voice (Default: Enable) 37

10.2.9 Voice Prompt (Default: Enable) 37

10.2.10 Advanced Noise Control™ (Always On) 37

11. TROUBLESHOOTING 38

11.1 Fault Reset 38

11.2 Factory Reset 39


1. ABOUT THE 5R LITE

1.1 Product Features


- Bluetooth® 5.1
- Intercom up to 1 km (0.6 mi)*
- Two-way Intercom
- Audio Multitasking™
- LCD Display
- Firmware Upgradeable

* in open terrain


1.2 Product Details




1.3 Package Contents




5R LITE




Speakers and
Boom Microphone cable




Clamp




Glued Surface
Mounting Adapter




Hook and Loop
Fasteners for Speakers



Speaker Sponges



Microphone Sponges



USB Power & Data Cable
(USB-C)

2. INSTALLING THE HEADSET ON YOUR HELMET


To install the headset to the helmet, follow the steps below:

2.1 Preparing the Helmet for Installation


Detach the snap fasteners located on the internal paddings. Then, remove the pads from the helmet.

2.2 Using the Clamp for Headset Main Unit


1. Insert the headset main unit into the clamp using the two connecting slots on the back.



2. Insert the back plate of the clamp unit between the internal padding and external shell of the left side of the helmet.




3. Align the arrows on the headset **main unit's port** with the speakers and boom microphone cable, and insert the speakers and boom microphone cable into the headset **main unit's port**.




2.3 Using the Glued Surface Mounting Adapter for Headset Main Unit

1. Insert the headset main unit into the glued surface mounting adapter using the two connecting slots on the back.




2. Clean the area on the left side of the helmet where you will attach the glued surface mounting adapter with a moistened towel and dry thoroughly.
3. Peel off the cover of adhesive tape of the glued surface mounting adapter and attach it to the left side of your helmet.




Note: Make sure that the glued surface mounting plate sticks on the helmet firmly. Maximum adhesion occurs after 24 hours.

4. Align the arrows on the headset **main unit's port** with the speakers and boom microphone cable, and insert the speakers and boom microphone cable into the headset **main unit's port**.




2.4 Installing the Speakers

1. Peel off the cover of adhesive tape of the hook and loop fasteners for speakers. Then, attach the hook and loop fasteners for speakers to the ear pockets inside the helmet.



2. Attach the speakers to the hook and loop fasteners for speakers inside the helmet.



3. Repeat the process on the other side.


Note: If your speakers are too close to your ears and your ears are uncomfortable, you can attach a Speaker Sponge to the front of the speaker.

2.5 Cables Organization

After aligning the cables inside the helmet, reinstall the pads to the helmet.

2.6 Adjusting the Microphone Position

Make sure that the microphone is located properly close to your mouth when you wear the helmet.



Adjust the direction of the microphone so that the fin side of the microphone is facing outward, away from your lips.

3. GETTING STARTED

3.1 Downloadable Sena Software

3.1.1 Sena Motorcycles App

By simply pairing your phone with your headset, you can use the **Sena Motorcycles App** for quicker, easier set up and management.

Sena Motorcycles

- Device Configuration Setting

- Download the **Sena Motorcycles App** on **Google Play Store** or **App Store**.

3.1.2 Sena Device Manager


The **Sena Device Manager** allows you to upgrade firmware and configure settings directly from your PC.

Sena Device Manager

- Download the **Sena Device Manager** at **sena.com**.

3.2 Charging

Charging the headset



Depending upon the charging method, the headset will be fully charged in about 2.5 hours.

Note:

- Any 3rd party USB charger can be used with Sena products if the charger is approved by either the FCC, CE, IC, or other locally approved agencies.
- Use of a non-approved charger may cause fire, explosion, leakage, and other hazards which may also reduce the life time or performance of the battery.
- The **headset** is compatible with 5 V input USB-charged devices only.

3.3 Legend

TAP 1x — **Tap** button the specified number of times

HOLD 10s — **Press and Hold** button for the specified amount of time

"Hello" — **Audible prompt**

3.4 Powering On and Off

Powering On




Powering Off



3.5 Checking the Battery Level

LCD Display



3.6 Volume Adjustment

You can raise or lower the volume by tapping the **(+) Button** or the **(-) Button**. Volume is set and maintained independently at different levels for each audio source (i.e., phone, intercom), even when the headset is rebooted.

Volume Up & Down



4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

When using the headset with other Bluetooth devices for the first time, they will need to be "paired." This enables them to recognize and communicate with one another whenever they are within range.

The headset can pair with multiple Bluetooth devices such as a mobile phone, GPS, MP3 player or Sena SR10 Two-Way Radio Adapter via **Mobile Phone Pairing and Second Mobile Phone Pairing**.

4.1 Phone Pairing


There are three ways to pair the phone.

4.1.1 Initially Pairing the 5R LITE


The headset will automatically enter the phone pairing mode when you initially turn on the headset or in the following situation:

- Rebooting after executing **Factory Reset**; or
- Rebooting after executing **Delete All Pairings**.

1. Press and hold the **(+) Button** and the **(-) Button** for **1 second**.




2. Select **5R LITE** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.




Note:
- The phone pairing mode lasts for **3 minutes**.
- To cancel phone pairing, tap the **Multi-function Button**.

4.1.2 Pairing When the 5R LITE is Turned Off

1. While the headset is off, press and hold the **(+) Button** and the **(-) Button** until the LCD display screen changes to the phone pairing screen and you hear a voice prompt, **"Phone pairing."**




2. Select **5R LITE** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.




4.1.3 Pairing When the 5R LITE is Turned On

1. While the headset is on, press and hold the **Multi-function Button** for **10 seconds**.



2. Tap the **(+) Button**.




3. Select **5R LITE** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



4.2 Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10


1. Press and hold the **Multi-function Button** for **10 seconds**.



2. Double tap the **(+) Button**.




3. Select **5R LITE** in the list of Bluetooth devices detected. If your Bluetooth device asks for a PIN, enter 0000.




4.3 GPS Pairing

1. Press and hold the **Multi-function Button** for **10 seconds**.



2. Tap the **(+) Button 3 times**.



3. Select **5R LITE** in the list of devices detected. If your Bluetooth device asks for a PIN, enter 0000.





4.4 Advanced Selective Pairing: Hands-Free or A2DP Stereo

Phone Pairing allows the headset to establish two Bluetooth profiles: **Hands-Free** or **A2DP Stereo**. **Advanced Selective Pairing** allows the headset to separate the profiles to enable connection with two devices.


4.4.1 Phone Selective Pairing - Hands-Free Profile

1. Press and hold the **Multi-function Button** for **10 seconds**.





2. Tap the **(+) Button 4 times**.






3. Select **5R LITE** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



4.4.2 Media Selective Pairing - A2DP Profile


1. Press and hold the **Multi-function Button** for **10 seconds**.



2. Tap the **(+) Button 5 times**.



3. Select **5R LITE** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



5. MOBILE PHONE USAGE

5.1 Making and Answering Calls

LCD Display

Call Status




= Incoming Call

= Outgoing call


= On the Phone Call

= Reject a call


Answer a Call



End a Call



Reject a Call



Make a Call with Voice Dialer





Note: If you have a GPS device connected, you will not hear its voice navigations during a phone call.

5.2 Speed Dialing

5.2.1 Assigning Speed Dial Presets


Speed Dial Presets could be assigned through the **Sena Motorcycles App**.

5.2.2 Using Speed Dial Presets

1. Enter into the **Speed Dial** menu.




2. Navigate forward or backward through **Speed Dial Preset** numbers.



3. Call one of your **Speed Dial Presets** numbers.




4. Redial the last number called.




6. STEREO MUSIC


6.1 Bluetooth Stereo Music

Play/Pause Music






Next Track



Previous Track




6.2 Music Sharing

You can start sharing music with one intercom friend using Bluetooth stereo music during a **Two-way intercom conversation**. When you terminate music sharing, you can go back to the intercom conversation.

Note:

- Both you and your intercom friend can remotely control music playback such as track forward and track back.
- **Music sharing** will be paused when you are using your mobile phone or listening to GPS instructions.
- When Audio Multitasking is enabled, if an intercom call is made when you are listening to music, music sharing will not work.


Start/Terminate Sharing Music





7. BLUETOOTH INTERCOM

Up to three other people can be paired with the headset for Bluetooth intercom conversations.



7.1 Intercom Pairing

There are two ways to pair the headset.

7.1.1 Using the Smart Intercom Pairing (SIP)

SIP allows you to quickly pair with your friends for intercom communication by scanning the QR code on the **Sena Motorcycles App** without remembering the button operation.

1. Pair the mobile phone with the headset.
2. Open the **Sena Motorcycles App** and tap (**Smart Intercom Pairing Menu**).
3. Scan the **QR code** displayed on your friend **(B)**'s mobile phone.
   - Your friend **(B)** can display the QR code on the mobile phone by tapping > **QR code** () on the **Sena Motorcycles App**.




4. Tap **Save** and check that your friend **(B)** is paired with **you (A)** correctly.
5. Tap **Scan** (📷) and repeat steps 3-4 to pair with **Intercom Friends (C)** and **(D)**.

Note: The **Smart Intercom Pairing (SIP)** is not compatible with Sena products that use **Bluetooth 3.0** or **below**.


7.1.2 Using the Button



1. **Users (You, B)** enter into **Intercom Pairing**.




2. Tap the **Multi-function Button** on either headset.



3. Repeat the steps above to pair with **other headsets (C and D)**.

7.2 Last-Come, First-Served

The intercom pairing queue is **Last-Come**, **First-Served**. If the headset has multiple paired headsets for intercom conversations, the last paired headset is set as the **First Intercom Friend**. For example, after the pairing procedures listed above, **headset (D)** is the **First Intercom Friend** of headset (A). **headset (C)** is the **Second Intercom Friend** of headset (A), and **headset (B)** is the **Third Intercom Friend** of headset (A).




7.3 Two-Way Intercom


You can start or end an intercom conversation with an **Intercom Friend**.




Start/End Conversation with the First Intercom Friend D



Start/End Conversation with the Second Intercom Friend C




Start/End Conversation with the Third Intercom Friend B



8. UNIVERSAL INTERCOM


Universal Intercom allows you to have intercom conversations with users of non-Sena Bluetooth headsets. Non-Sena Bluetooth headset can be connected to the Sena headset if they support the **Bluetooth Hands-Free Profile (HFP)**. You can pair the headset with only one non-Sena headset at a time. The intercom distance depends on the performance of the headset to which it's connected. When a non-Sena headset is paired with the headset while another Bluetooth device is paired via **Second Mobile Phone Pairing**, it will be disconnected.


8.1 Universal Intercom Pairing

1. 




"Configuration menu"



2. 

"Universal intercom pairing"


3. 

Enter into **Universal Intercom Pairing** mode.

4. Put the non-Sena headset in Hands-free Pairing Mode. The headset will automatically pair with a non-Sena Bluetooth headset.

8.2 Two-Way Universal Intercom

You can initiate the **Universal Intercom** connection with non-Sena Bluetooth headsets using the same intercom connection method as you would between other Sena headsets.



You may start/end a **Two-Way Universal Intercom** using the same way as you do in a normal **Two-Way Intercom**. Please refer to **Section 7.3: "Two-Way Intercom"**.

9. FUNCTION PRIORITY AND FIRMWARE UPGRADES

9.1 Function Priority

The **headset** operates in the following order of priority:

(highest)	Mobile phone
	Intercom
	Music sharing via Bluetooth stereo music
(lowest)	Bluetooth stereo music

A lower priority function is always interrupted by a higher priority function.

Note: If you select music as the audio source priority, the order of priority will change as below:

(highest)	Mobile phone
	Bluetooth stereo music
	Intercom
(lowest)	Music sharing via Bluetooth stereo music

9.2 Firmware Upgrades

You can upgrade firmware using the **Sena Device Manager**.

The **USB Power & Data Cable (USB-C)** must be connected to your **PC** to upgrade firmware using the **Sena Device Manager**.


Please visit **sena.com** to check for the latest software downloads.


Click Here to Visit sena.com

10. CONFIGURATION SETTING


10.1 Headset Configuration Menu


Accessing the Configuration Menu






Navigating Between Menu Options





Execute Menu Options




Headset Configuration Menu

Voice Configuration Menu	Tap the Multi-function Button
Phone Pairing	None
Second Mobile Phone Pairing	None
GPS Pairing	None
Phone Selective Pairing	None
Media Selective Pairing	None
Delete All Pairings	Execute
Remote Control Pairing	Execute
Universal Intercom Pairing	Execute
Factory Reset	Execute
Exit	Execute

10.1.1 Delete All Pairings


Delete All Bluetooth Pairing Information stored in the headset.



10.1.2 Remote Control Pairing

You can remotely control the headset using **Sena Remote Control devices** (sold separately).

1. Turn on the headset and the Remote Control device.
2. Execute **Remote Control Pairing**.



3. Enter pairing mode in the Remote Control device. The headset will automatically connect with the Remote Control device in pairing mode.

10.2 Software Configuration Setting

You can change the settings of the headset through the **Sena Motorcycles App** or the **Sena Device Manager**.

Sena Motorcycles

Sena Device Manager

10.2.1 Headset Language

You can select the device language. The selected language is maintained even when the headset is rebooted.

10.2.2 Audio Source Priority (Default: Intercom)

Audio Source Priority allows you to select the priority between the intercom and music (which includes GPS app instructions and message notifications) from a smartphone. If the intercom is selected as the audio source priority, your music will be interrupted during an intercom conversation. If music is selected as the audio source priority, intercom conversations will be interrupted while your music is heard.

Note: Audio Source Priority is active only when **Audio Multitasking** is disabled.

10.2.3 VOX Phone (Default: Enable)

If this feature is enabled, you can answer incoming calls by voice. When you hear a ringtone for an incoming call, you can answer the phone by saying a word such as **"Hello"** loudly or by blowing air into the microphone. **VOX Phone** is temporarily disabled if you are connected to intercom. If this feature is disabled, you have to tap the **Multi-function Button** to answer an incoming call.

10.2.4 VOX Intercom (Default: Disable)

If **VOX Intercom** is enabled, you can initiate an intercom conversation with the last connected intercom friend by voice. When you want to start intercom, say a word such as **"Hello"** loudly or blow air into the microphone. If you start an intercom conversation by voice, the intercom terminates automatically when you and your intercom friend remain silent for 20 seconds. However, if you manually start an intercom conversation by tapping the **Multi-function Button**, you have to terminate the intercom conversation manually. However, if you start the intercom by voice and end it manually by tapping the **Multi-function Button**, you will not be able to start intercom by voice temporarily. In this case, you have to tap the **Multi-function Button** to restart the intercom. This is to prevent repeated unintentional intercom connections by strong wind noise. After rebooting the headset, you can start the intercom by voice again.

10.2.5 Audio Multitasking™ (Default: Disable)

Audio Multitasking allows you to hear the audio from two features simultaneously. When **Audio Multitasking** is enabled, phone calls, GPS instructions, and intercom conversations can be overlaid with audio from the music or GPS app instructions from a smartphone in the background with reduced volume. Increasing or decreasing the volume of the audio in the foreground will also increase or decrease the volume of the overlaid audio in the background. The volume of the foreground audio can be adjusted using the headset. How much background audio that is heard can be adjusted using the **Sena Device Manager** or the **Sena Motorcycles App**. **HD Intercom**, **HD Voice**, and **Audio Source Priority** become disabled temporarily when **Audio Multitasking** is enabled.

Foreground and Background Combination Table

Model	Foreground*			Background**
	Phone	GPS	Intercom	Music or Smart Navi
5R LITE	O[A]	O[A]		
		O	O	
			O[B]	O[B]
		O		O

* Two audio sources in the foreground can be heard simultaneously with the same volume level.

** Only one background source can be heard at a time while listening to an audio source in the foreground.

A. GPS instructions can be heard during phone calls and the volume level of both audio sources can be adjusted using the headset.

B. GPS app directions will be heard in the background during intercom conversations.

Note:

- **Audio Multitasking** will be activated during two-way intercom conversations with a headset that also supports this feature.
- When **Audio Multitasking** is disabled, the background audio source will return to its independent volume level.
- For **Audio Multitasking** to work properly, you need to power the headset off and on. Please restart the headset.
- Some GPS devices may not support this feature.

10.2.6 Background Volume (Default: Level 5)

The **Background Volume** can be adjustable only when the **Audio Multitasking** turns on. Level 9 is the highest volume and 0 is the lowest.

10.2.7 HD Intercom (Default: Enable)

HD Intercom enhances the two-way intercom audio from normal quality to HD quality. If this feature is disabled, the two-way intercom audio will change to normal quality.

Note:
- The intercom distance of **HD Intercom** is relatively shorter than that of normal intercom.
- **HD Intercom** will become disabled temporarily when **Audio Multitasking** is enabled.

10.2.8 HD Voice (Default: Enable)

HD Voice allows you to communicate in high-definition during phone calls. This feature increases the quality so that the audio will be crisp and clear during phone call conversations.

If this feature is enabled, incoming phone calls will interrupt intercom conversations and audio from the SR10 will not be heard during intercom conversations.

Note:
- Refer to the manufacturer of your Bluetooth device that will be connected to the headset to see if it supports **HD Voice**.
- **HD Voice** is active only when **Audio Multitasking** is disabled.

10.2.9 Voice Prompt (Default: Enable)

You can disable **Voice Prompts** by software configuration settings, but the following voice prompts are always on.

- Headset configuration settings menu, battery level indicator, speed dial

10.2.10 Advanced Noise Control™ (Always On)

The background noise is reduced during an intercom conversation.

11. TROUBLESHOOTING


Please visit **sena.com** for more troubleshooting information.

- Customer Support: **sena.com**

11.1 Fault Reset

When the headset is not working properly, you can easily reset the unit:

1. Locate the **Pinhole Fault Reset Button** below on the back of the main unit.
2. Gently insert a paper clip into the hole and press the **Pinhole Fault Reset Button** with light pressure.



3. The headset will shut down.

Note: Fault Reset will not restore the headset to factory default settings.

11.2 Factory Reset

To erase all of your settings and start fresh, the headset can be restored to factory default settings using the **Factory Reset** feature.

1. = HOLD 10s

"Configuration menu"



2. = TAP 2x

"Factory reset"



3. = TAP 1x

"Headset reset, good-bye"

SENA

Copyright © 2022 Sena Technologies, Inc.
All rights reserved.

© 1998–2022 Sena Technologies, Inc. All rights reserved.

Sena Technologies, Inc. reserves the right to make any changes and improvements to its product without providing prior notice.

Sena™ is a trademark of Sena Technologies, Inc. or its subsidiaries in the USA and other countries. SF1™, SF2™, SF4™, SFR™, SRL™, Momentum™, Momentum INC™, Momentum Lite™, Momentum Pro™, Momentum INC Pro™, Momentum EVO™, Cavalry™, Latitude SR™, Latitude SX™, Latitude S1™, 30K™, 33i™, 50S™, 50R™, 50C™, 5S™, 5R™, 5R LITE™, 20S EVO™, 20S™, 10S™, 10C™, 10C PRO™, ProRide EVO™, 10C EVO™, 10U™, 10Upad™, 10R™, ACS10™, ACS-RAM™, C1™, CAST™, 3S™, 3S PLUS™, SMH5™, SMH5-FM™, SMH5 MultiCom™, SMH10™, SMH10R™, SPH10™, SPH10H-FM™, Savage™, Prism Tube WiFi™, Prism™, Bluetooth Audio Pack for GoPro®, Impulse™, FURY™, R1™, R1 EVO™, R1 EVO CS™, R2™, R2 EVO™, R2X™, M1™, M1 EVO™, RUMBA™, RC1™, RC3™, RC4™, Stryker™, Handlebar Remote™, Wristband Remote™, PowerPro Mount™, Powerbank™, FreeWire™, WiFi Docking Station™, WiFi Sync Cable™, WiFi Adapter™, +mesh™, +Mesh Universal™, MeshPort Blue™, MeshPort Red™, MeshPort Black™, Econo™, OUTLANDER M™, OUTRUSH™, OUTRUSH R™, OUTSTAR™, OUTSTAR S™, OUTFORCE™, OUTRIDE™, OUTRUSH M™, SPLASH™, EcoCom™, Parani A10™, Parani A20™, Parani M10™, pi™, Snowtalk™, Snowtalk2™, SR10™, SR10i™, SM10™, SPIDER RT1™, SPIDER ST1™, X1™, X1 Pro™, X1S™, Expand™, Expand Boom™, Expand Mesh™, Bluetooth Mic & Intercom™, Tufftalk™, Tufftalk Lite™, Tufftalk M™ are trademarks of Sena Technologies, Inc. or its subsidiaries. These trademarks may not be used without the express permission of Sena.

GoPro® is a registered trademark of Woodman Labs of San Mateo, California. Sena Technologies, Inc. (“Sena”) is not affiliated with Woodman Labs, Inc. The Sena Bluetooth Pack for GoPro® is an aftermarket accessory specially designed and manufactured by Sena Technologies, Inc. for the GoPro® Hero3 and Hero4 allowing for Bluetooth capabilities.

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sena is under license. iPhone® and iPod® touch are registered trademarks of Apple Inc.

Address: 152 Technology Drive Irvine, CA 92618