SENA

30K

MOTORCYCLE BLUETOOTH COMMUNICATION SYSTEM WITH MESH INTERCOM™



MENU

HD SPEAKERS

Version: 4.1.0

CLICK ANY SECTION TO BEGIN

ABOUT THE HEADSET

INSTALLING THE HEADSET

GETTING STARTED

PAIRING WITH DEVICES

MOBILE PHONE USAGE

STEREO MUSIC

MESH INTERCOM

BLUETOOTH INTERCOM

AMBIENT MODE

VOICE COMMAND

FIRMWARE UPGRADES

CONFIGURATION

TROUBLE-SHOOTING

TABLE OF CONTENTS

1. ABOUT THE MOTORCYCLE BLUETOOTH COMMUNICATION SYSTEM WITH MESH INTERCOM™ 7

1.1 Product Details 7
- 1.1.1 Headset Main Unit 7
- 1.1.2 Universal Clamp Kit 7

1.2 Package Contents 8

2. INSTALLING THE HEADSET ON YOUR HELMET 10

2.1 Helmet Installation 10
2.2 Using the Glued Surface Mounting Adapter 13
2.3 Switching the Microphone 15
- 2.3.1 Wired Boom Microphone 16
- 2.3.2 Wired Microphone 16

2.4 Earbuds 17
2.5 External Mesh Intercom Antenna 17

3. GETTING STARTED 18

3.1 Button Functions 18
3.2 Downloadable Sena Software 18
- 3.2.1 SENA MOTORCYCLES App 18
- 3.2.2 Sena Device Manager 19

3.3 Legend 19
3.4 Powering On and Off 20
3.5 Charging 21
3.6 Checking the Battery Level 22
3.7 Volume Adjustment 23

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES 24

4.1 Phone Pairing 25
- 4.1.1 Initially Pairing the 30K 25

TABLE OF CONTENTS CONTINUED


4.1.2 Pairing When the 30K is Turned Off 26
4.1.3 Pairing When the 30K is Turned On 27
4.2 Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10 27
4.3 Advanced Selective Pairing: Hands-Free or A2DP Stereo 28
4.3.1 Phone Selective Pairing - Hands-Free Profile 29
4.3.2 Media Selective Pairing - A2DP Profile 30
4.4 GPS Pairing 31



5. MOBILE PHONE USAGE 33
5.1 Making and Answering Calls 33
5.2 Speed Dialing 34
5.2.1 Assigning Speed Dial Presets 34
5.2.2 Using Speed Dial Presets 34



6. STEREO MUSIC 36
6.1 Playing Music with Bluetooth Devices 36
6.2 Music Sharing 37
6.2.1 Bluetooth Intercom Music Sharing 38
6.2.2 Mesh Intercom Music Sharing 38



7. MESH INTERCOM 40
7.1 What is Mesh Intercom? 40
7.1.1 Open Mesh 41
7.1.2 Group Mesh 42
7.2 Starting Mesh Intercom 43
7.3 Using the Mesh in Open Mesh 43
7.3.1 Channel Setting (Default: channel 1) 44
7.4 Using Mesh in Group Mesh 46
7.4.1 Creating a Group Mesh 46
7.4.2 Joining an Existing Group Mesh 48
7.5 Reset Mesh 50
7.6 Toggling Open Mesh/Group Mesh 50
7.7 Enable/Disable Mic (Default: Enable) 51

TABLE OF CONTENTS CONTINUED




8. BLUETOOTH INTERCOM 52

8.1 Intercom Pairing 52
8.1.1 Using the Smart Intercom Pairing (SIP) 52
8.1.2 Using the Button 54
8.2 Last-Come, First-Served 55
8.3 Two-Way Intercom 56
8.4 Multi-Way Intercom 57
8.4.1 Starting a Three-Way Intercom Conference 57
8.4.2 Starting a Four-Way Intercom Conference 59
8.4.3 Ending Multi-Way Intercom 60
8.5 Three-Way Conference Phone Call with Intercom Users 60
8.6 Group Intercom 62
8.7 Mesh Intercom Conference with Bluetooth Intercom Participant 63
8.8 Universal Intercom 65
8.8.1 Two-Way Universal Intercom 67
8.8.2 Multi-Way Universal Intercom 67

9. AMBIENT MODE 69




10. VOICE COMMAND 70



11. FUNCTION PRIORITY AND FIRMWARE UPGRADES 72

11.1 Function Priority 72
11.2 Firmware Upgrades 72



12. CONFIGURATION 73

12.1 Headset Configuration Setting 73
12.1.1 Delete All Pairings 75
12.1.2 Remote Control Pairing 75

12.2 Software Configuration Setting 75
12.2.1 Headset Language 76
12.2.2 Audio Equalizer (Default: Off) 76
12.2.3 VOX Phone (Default: Enable) 76
12.2.4 VOX Intercom (Default: Disable) 77
12.2.5 VOX Sensitivity (Default: 3) 77
12.2.6 Bluetooth Intercom Audio Multitasking (Default: Disabled) 78
12.2.7 Intercom-Audio Overlay Sensitivity (Default: 3) 79
12.2.8 Audio Overlay Volume Management (Default: Disable) 79
12.2.9 HD Intercom (Default: Enable) 79
12.2.10 HD Voice (Default: Enable) 80
12.2.11 Smart Volume Control (Default: Disable) 80
12.2.12 Sidetone (Default: Disable) 81
12.2.13 Voice Prompt (Default: Enable) 81
12.2.14 Advanced Noise Control™ (Default: Enable) 81

13. TROUBLESHOOTING 82
13.1 Fault Reset 82
13.2 Factory Reset 83


1. ABOUT THE MOTORCYCLE BLUETOOTH COMMUNICATION SYSTEM WITH MESH INTERCOM™

1.1 Product Details

1.1.1 Headset Main Unit









1.1.2 Universal Clamp Kit



1. ABOUT THE MOTORCYCLE BLUETOOTH COMMUNICATION SYSTEM WITH MESH INTERCOM™

1.2 Package Contents








• 30K Headset Main Unit	
• Universal Helmet Clamp	
• Wired Boom Microphone	
• Wired Microphone	
• Hook and Loop Fastener for Boom Microphone	
• Hook and Loop Fastener for Wired Microphone	
• Microphone Sponges	
• Glued Surface Mounting Adapter	

1. ABOUT THE MOTORCYCLE BLUETOOTH COMMUNICATION SYSTEM WITH MESH INTERCOM™

MENU

Product Details

Package Contents

• Speaker Pads	
• Hook and Loop Fasteners for Speakers	
• Boom Microphone Holder	
• Hook and Loop Fastener for Holder	
• Rubber Pads	
• Allen Wrench	
• Speaker Port Cover	
• USB Power & Data Cable (USB-C)	

2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation

Using the Glued Surface Mounting Adapter

Switching the Microphone


Earbuds

External Mesh Intercom Antenna


2.1 Helmet Installation

To securely install the headset on the helmet, please follow this procedure.

1. Insert the back plate of the clamp unit between the internal padding and the external shell of the helmet, and tighten the two screws.



Note: Depending on the size and shape of your helmet, you may need to change the thickness of the rubber pad between the clamp plates using the two extra rubber pads in the box. To increase the overall thickness, attach the thinner one to the original rubber pad or replace the original rubber pad with the thicker one.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation


Using the Glued Surface Mounting Adapter

Switching the Microphone

Earbuds


External Mesh Intercom Antenna

2. Place the helmet speakers along with the hook and loop fasteners, centered to your ear, in the ear pockets of the helmet. If the helmet has deep ear pockets, you can use the speaker pads to place the speakers closer to your ears.



Note:

- The speaker with the shorter wire is for the left ear and the speaker with the longer one is for the right ear.
- Make sure that the microphone is located properly close to your mouth when you wear the helmet. Adjust the direction of the microphone so that the fin side of the microphone is facing outward, away from your lips.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation


Using the Glued Surface Mounting Adapter

Switching the Microphone


Earbuds

External Mesh Intercom Antenna

3. Attach the headset main unit to the clamp unit. Slide the main unit down onto the clamp unit until it clicks firmly into the bottom portion of the clamp unit.



4. To remove the main unit from the clamp unit, press the Quick Release Button to slide it off the clamp unit.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation

Using the Glued Surface Mounting Adapter

Switching the Microphone

Earbuds


External Mesh Intercom

Antenna


2.2 Using the Glued Surface Mounting Adapter

If you have any problem equipping the clamp unit on the helmet for any reason, you may use the glued surface mounting adapter to attach the clamp unit on the external surface of the helmet.


1. Remove the speaker unit.



2. Remove the back plate.



3. Remove the rubber pad and replace it with the thicker rubber pad included in the package.



4. Hook on the adapter to the clamp unit then screw in the glued external adapter to the clamp unit.

2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation


Using the Glued Surface Mounting Adapter

Switching the Microphone


Earbuds

External Mesh Intercom Antenna

5. Reconnect the speaker cable to the speaker port.



6. Locate a proper surface on the helmet to attach the unit then clean the helmet surface location with a moistened towel and allow it to dry thoroughly.
7. Peel off the cover of the adhesive tape of the adapter and attach the unit on the proper surface of your helmet.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation

Using the Glued Surface Mounting Adapter

Switching the Microphone


Earbuds

External Mesh Intercom Antenna

2.3 Switching the Microphone

If you want to use a different microphone instead of the static boom microphone, please refer to the following steps.

1. Remove the back plate of the clamp unit.
2. Connect the microphone according to your helmet type.
3. Lock the microphone to the clamp.
4. Reattach the back plate to cover the microphone and the speaker port.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation

Using the Glued Surface Mounting Adapter

Switching the Microphone


Earbuds

External Mesh Intercom

Antenna


2.3.1 Wired Boom Microphone

When installing the included wired boom microphone, place the hook and loop fastener at the end of the boom microphone between the internal helmet cheek pad and the internal wall of the helmet shell. The boom microphone should be mounted so it is facing close to your mouth when you wear the helmet.



2.3.2 Wired Microphone

In case of the wired microphone, attach the enclosed hook and loop fastener for the wired microphone to the inside of the chin guard for full-face helmets. Place the wired microphone on the hook and loop fastener and connect it to the connector of the clamp unit.



2. INSTALLING THE HEADSET ON YOUR HELMET

Helmet Installation

Using the Glued Surface Mounting Adapter


Switching the Microphone

Earbuds

External Mesh Intercom Antenna


2.4 Earbuds

You can connect your earbuds to the clamp while having the speakers connected to the clamp. The sound of the earbuds will be active while the sound of the outer speakers becomes inactive.



2.5 External Mesh Intercom Antenna

Pull the **Mesh Intercom** Antenna outwards slightly to unfold it.



3. GETTING STARTED

Button Functions

Downloadable Sena Software

Legend


Powering On and Off

Charging

Checking the Battery Level

Volume Adjustment

3.1 Button Functions



3.2 Downloadable Sena Software

3.2.1 SENA MOTORCYCLES App

By simply pairing your phone with your headset, you can use the **SENA MOTORCYCLES App** for quicker, easier set up and management.

SENA MOTORCYCLES

- Device configuration setting

- Download the **SENA MOTORCYCLES App** on **Google Play Store** or **App Store**.

3. GETTING STARTED

Button Functions
Downloadable Sena Software
Legend
Powering On and Off
Charging
Checking the Battery Level
Volume Adjustment

3.2.2 Sena Device Manager

The **Sena Device Manager** allows you to upgrade the firmware and configure its settings directly from your PC or Apple computer. Download the **Sena Device Manager** from **sena.com**.

NOTICE

- **This User Guide (Version 4.1.0) explains how to operate a 30K headset with firmware version 4.0 or higher.**
- **For the operation of a headset with a firmware version lower than 4.0, refer to the 30K User Guide (Version 3.1.0) or lower.**


3.3 Legend



Tap button/Jog Dial the specified number of times



Press and Hold button/Jog Dial for the specified amount of time



Rotate Jog Dial clockwise (right) or counterclockwise (left).



Rotate while Pressing Jog Dial clockwise (right) or counterclockwise (left).



Audible prompt from the headset


3. GETTING STARTED


3.4 Powering On and Off

Button Functions
Downloadable Sena Software
Legend
Powering On and Off
Charging
Checking the Battery Level
Volume Adjustment

Press and hold the **Jog Dial** and **Phone Button** at the same time to turn the headset on or off.


Powering On





"Hello"

Powering Off




3. GETTING STARTED

3.5 Charging

Button Functions
Downloadable Sena Software
Legend
Powering On and Off
Charging
Checking the Battery Level
Volume Adjustment

Charging the Headset





The headset will be fully charged in about 2.5 hours. (The charging time may vary depending on the charging method.)

Note:

- The headset includes a **Fast Charging** feature which allows it to charge quickly over a short period of time. For example, a user can get up to 2.0 hours of Mesh communication or 2.0 hours of Bluetooth intercom after charging the headset for 20 minutes.
- Any 3rd party USB charger can be used with Sena products if the charger is approved by either the FCC, CE, IC, or other locally approved agencies.
- Use of a non-approved charger may cause fire, explosion, leakage, and other hazards which may also reduce the life time or performance of the battery.
- The headset is compatible with 5 V input USB-charged devices only.


3. GETTING STARTED

3.6 Checking the Battery Level


Button Functions
Downloadable Sena Software
Legend
Powering On and Off
Charging
Checking the Battery Level
Volume Adjustment

Instruction is for when powering the headset on.


Visual Method




VISUAL METHOD



HIGH



MEDIUM



LOW


3. GETTING STARTED

3.7 Volume Adjustment


Button Functions
Downloadable Sena Software
Legend
Powering On and Off
Charging
Checking the Battery Level
Volume Adjustment

You can raise or lower the volume by rotating the **Jog Dial** clockwise or counterclockwise. Volume is set and maintained independently at different levels for each audio source (i.e., phone, intercom), even when the headset is rebooted.

Volume Up



Volume Down



MENU

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES


Phone Pairing

When using the headset with other Bluetooth devices for the first time, they'll need to be "paired." This enables them to recognize and communicate with one another whenever they're within range.

Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

The headset can pair with multiple Bluetooth devices such as a mobile phone, GPS, MP3 player or Sena SR10 Two-Way Radio Adapter via **Mobile Phone Pairing, Second Mobile Phone Pairing and GPS Pairing**. The headset can also be paired with up to three other Sena headsets.


Pairs with up to three Sena Headsets



Advanced Selective Pairing: Hands-Free or A2DP Stereo

GPS Pairing

Also pairs with:



Mobile Phone | MP3 Player | GPS Devices | Sena SR10

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

Phone Pairing

Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo

GPS Pairing

4.1 Phone Pairing


There are three ways to pair the phone.

4.1.1 Initially Pairing the 30K


The headset will automatically enter the phone pairing mode when you initially turn on the headset or in the following situation:

- Rebooting after executing **Factory Reset**; or
- Rebooting after executing **Delete All Pairings**.

1. Press and hold the **Phone Button** and the **Jog Dial** for **1 second**.



2. Select **30K** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



Note:

- The phone pairing mode lasts for **3 minutes**.
- To cancel phone pairing, tap the **Phone Button** or **Jog Dial.**

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

MENU

Phone Pairing


Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo


GPS Pairing

4.1.2 Pairing When the 30K is Turned Off

1. While the headset is off, press and hold the **Phone Button** and the **Jog Dial** until the LED flashes red and blue alternately and you hear a voice prompt, **"Phone pairing"**.



2. Select **30K** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

MENU

Phone Pairing


Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo


GPS Pairing

4.1.3 Pairing When the 30K is Turned On

1. While the headset is on, press and hold the **Phone Button** for **5 seconds**.




Blinking



"Phone pairing"

2. Select **30K** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.




4.2 Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

1. Press and hold the **Jog Dial** for **5 seconds**.



Blinking



"Intercom pairing"

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

MENU


Phone Pairing

Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10


Advanced Selective Pairing: Hands-Free or A2DP Stereo

GPS Pairing

2. Tap the **Phone Button**.




Blinking



"Second mobile phone pairing"

3. Select **30K** in the list of Bluetooth devices detected. If your Bluetooth device asks for a PIN, enter 0000.



4.3 Advanced Selective Pairing: Hands-Free or A2DP Stereo

Phone Pairing allows the headset to establish two Bluetooth profiles: **Hands-Free** or **A2DP Stereo**. **Advanced Selective Pairing** allows the headset to separate the profiles to enable connection with two devices.

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

Phone Pairing


Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo


GPS Pairing

4.3.1 Phone Selective Pairing - Hands-Free Profile

1. Press and hold the **Phone Button** for **5 seconds**.




Blinking




"Phone pairing"

2. Tap the **Phone Button**.




Blinking



"Phone selective pairing"

3. Select **30K** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

Phone Pairing


Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo


GPS Pairing

4.3.2 Media Selective Pairing - A2DP Profile

1. Press and hold the **Phone Button** for **5 seconds**.




Blinking




"Phone pairing"

2. Tap the **Jog Dial**.




Blinking



"Media selective pairing"

3. Select **30K** in the list of Bluetooth devices detected. If your mobile phone asks for a PIN, enter 0000.



4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

MENU

Phone Pairing

Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo


GPS Pairing

4.4 GPS Pairing

1. Press and hold the **Jog Dial** for **5 seconds**.




Blinking




"Intercom pairing"

2. Tap the **Phone Button**.




Blinking




"Second mobile phone pairing"

3. Tap the **Phone Button**.



Blinking



"GPS pairing"

4. PAIRING THE HEADSET WITH OTHER BLUETOOTH DEVICES

MENU

Phone Pairing

Second Mobile Phone Pairing - Second Mobile Phone, GPS, and SR10

Advanced Selective Pairing: Hands-Free or A2DP Stereo

GPS Pairing

4. Select **30K** in the list of devices detected. If your Bluetooth device asks for a PIN, enter 0000.




Note: If you pair your GPS device via GPS Pairing, its instruction will not interrupt your Mesh Intercom conversations, but overlay with them. Bluetooth intercom conversations will be interrupted by GPS instructions.


5. MOBILE PHONE USAGE

5.1 Making and Answering Calls


Answer a Call




End a Call



Reject a Call



Make a Call with Voice Dialer



5. MOBILE PHONE USAGE

5.2 Speed Dialing


5.2.1 Assigning Speed Dial Presets

Speed Dial Presets could be assigned in the settings menu, accessible through **Sena Device Manager** or **SENA MOTORCYCLES App**.


5.2.2 Using Speed Dial Presets

1. Tap the **Phone Button** twice to enter into the **Speed Dial** menu. You will hear the voice prompt, **"Speed dial."**

Enter Speed Dial Mode




SPEED DIAL



"Speed dial"


2. Rotate the **Jog Dial** clockwise or counterclockwise to navigate between the **Speed Dial Presets**.

Navigate Forward through Speed Dial Preset Numbers



NAVIGATE FORWARD

Navigate Backward through Speed Dial Preset Numbers



NAVIGATE BACKWARD


5. MOBILE PHONE USAGE

Making and Answering Calls


Speed Dialing

3. To call one of your **Speed Dial Presets**, tap the **Phone Button** when you hear the prompt, **"Speed dial (#)."**

Call a Speed Dial Preset Number




SPEED DIAL




"Speed dial (#)"

4. To redial the last number called, tap the **Phone Button** when you hear the prompt, **"Last number redial."**

Redial Last Number



REDIAL



"Last number redial"

6. STEREO MUSIC


6.1 Playing Music with Bluetooth Devices


Playing Music with Bluetooth Devices

1. To play or pause music, press and hold the **Jog Dial** for **1 second** until you hear a double beep.

Music Sharing

Play/Pause







"[Beep, Beep]"

2. To adjust the volume, rotate the **Jog Dial** clockwise or counterclockwise.

Volume Up




Volume Down



6. STEREO MUSIC


3. To track forward or back, rotate while pressing the **Jog Dial** clockwise or counterclockwise.

Track Forward



SKIP TRACK FORWARD

Track Backward



SKIP TRACK BACKWARD

6.2 Music Sharing

You can start sharing music with one intercom friend using Bluetooth stereo music during a **two-way intercom conversation** and **one participant of a Mesh**. If you start sharing music while Bluetooth intercom and Mesh Intercom are running at the same time, then music shared during Bluetooth intercom will take priority over music shared during Mesh Intercom.

Note:

- Both you and your intercom friend can remotely control music playback such as track forward and track back.
- **Music sharing** will be paused when you are using your mobile phone or listening to GPS instructions.
- **Music sharing** will be terminated if the headset starts a multi-way intercom conference.

6. STEREO MUSIC


Playing Music with Bluetooth Devices


Music Sharing

6.2.1 Bluetooth Intercom Music Sharing

You can start sharing the music with one intercom friend of a **two-way intercom conversation**.


Start Sharing Music






"Music sharing on"

Terminate Sharing Music






"Music sharing off"

6.2.2 Mesh Intercom Music Sharing

You can start sharing music with one participant of a **Mesh Intercom**.

Start Sharing Music

1. The **Creator** will send a request message to **participants** connected during **Mesh Intercom**.




MENU

6. STEREO MUSIC

Playing Music with Bluetooth Devices


Music Sharing

[Creator]



"Music sharing on"


[Participants]




"Would you like to accept music sharing?"

2. The **Creator** will share music with the **first participant** that accepts the request.


[Participant] Accept




[Participant] Refuse



Terminate Sharing Music





"Music sharing off"

7. MESH INTERCOM


7.1 What is Mesh Intercom?

What is Mesh Intercom?
Starting Mesh Intercom
Using the Mesh in Open Mesh
Using Mesh in Group Mesh
Reset Mesh
Toggling Open Mesh/ Group Mesh
Enable/ Disable Mic

Mesh Intercom™ is a dynamic communication system created by Sena that provides instant and effortless bike-to-bike communication without a pre-grouping process. **Mesh Intercom** allows riders to connect and communicate with nearby users without the need to pair each headset together.

The working distance between each **30K** in **Mesh Intercom** can be up to 2 km (1.2 mi) in open terrain. In open terrain, the **Mesh** can be extended up to 8 km (5 mi) between a minimum of six users. Within the same channel in **Open Mesh™** or the same private group in **Group Mesh™**, six users can talk at the same time and enjoy the optimal quality for their conversation.

Mesh Intercom



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh


Toggling Open Mesh/ Group Mesh


Enable/ Disable Mic

7.1.1 Open Mesh


Open Mesh is an open group intercom function. Users can freely communicate with each other in the same **Open Mesh** channel and select which channel (1-9) to use through the headset.

It can connect with a virtually unlimited number of users in each channel.





Channel 1 Channel 2



Channel 9

7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh


Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic

7.1.2 Group Mesh

Group Mesh is a closed group intercom function that allows users to join, leave, or rejoin a group intercom conversation without pairing each headset. Users can freely communicate with each other in the same private group in **Group Mesh**.

For closed intercom conversations using **Mesh Intercom**, a **Group Mesh** needs to be created by the users. When users create a private group in **Group Mesh** by **Mesh Grouping**, the headset automatically switches from **Open Mesh** to **Group Mesh**. Up to 24 users can all be connected in each private group.



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh


Toggling Open Mesh/ Group Mesh


Enable/ Disable Mic

7.2 Starting Mesh Intercom

When **Mesh Intercom** is enabled, the **30K** will automatically connect to nearby **30K** users and allow them to talk to each other by pressing the **Mesh Intercom Button**.


Mesh Intercom On






"Mesh intercom on"

Mesh Intercom Off





"Mesh intercom off"

Note: Open Mesh and **Group Mesh** cannot communicate with the previous modes **Public Mode** and **Private Mode**. In case of no communication, **the headset should be upgraded to the latest firmware**.

7.3 Using the Mesh in Open Mesh

When **Mesh Intercom** is enabled, the headset will be in **Open Mesh (default: channel 1)** initially.

7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh


Reset Mesh

Toggling Open Mesh/ Group Mesh


Enable/ Disable Mic

7.3.1 Channel Setting (Default: channel 1)

If the **Open Mesh** communication experiences interference because other groups are also using **channel 1 (default)**, change the channel. You can select from channels 1 to 9.





Channel 1 Channel 2



Channel 9

Enter into the Channel Setting





"Channel setting, 1"

7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh


Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic


MENU

Navigate Between Channels

(1 → 2 → ••• → 8 → 9 → Exit → 1 → •••)





or





Save the Channel





7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh

Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic

Note:


- **Channel Setting** always starts with channel 1.
- If you do not press any button for approximately **10 seconds** in a specific channel, the channel is automatically saved.
- If you want to cancel during **Channel Setting**, tap the **Phone Button**.
- The channel will be remembered even if you turn off the **30K**.
- You can also change the **Channel Setting** of the headset through the **Sena Device Manager** or the **SENA MOTORCYCLES App**.

7.4 Using Mesh in Group Mesh

7.4.1 Creating a Group Mesh

Creating a **Group Mesh** requires **two or more Open Mesh users**.

Open Mesh



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh


Using Mesh in Group Mesh


Reset Mesh

Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic


1. Enter into **Mesh Grouping** to create a **Group Mesh**.






"Mesh grouping"

2. The headsets complete **Mesh Grouping** and automatically switch from **Open Mesh** to **Group Mesh**.



"Group Mesh"



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh

Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic


Note:

- If the **Mesh Grouping** is not completed within **30 seconds**, users will hear a voice prompt, **"Grouping failed"**.
- If you want to cancel during the **Mesh Grouping**, tap the **Mesh Intercom Button** or **Phone Button**.


7.4.2 Joining an Existing Group Mesh

One of the members in an **Existing Group Mesh** can allow new members in **Open Mesh** to join the **Existing Group Mesh**.

New Members



Existing Group Mesh and Current Members



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh


Using Mesh in Group Mesh


Reset Mesh

Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic


1. **One of the current members** and a **new member** enter into **Mesh Grouping** to join the **Existing Group Mesh**.






"Mesh grouping"

2. The headsets complete **Mesh Grouping**. The new members will hear a voice prompt as their headsets automatically switch from **Open Mesh** to **Group Mesh**.



"Group Mesh"



7. MESH INTERCOM

What is Mesh Intercom?

Starting Mesh Intercom

Using the Mesh in Open Mesh

Using Mesh in Group Mesh

Reset Mesh


Toggling Open Mesh/ Group Mesh

Enable/ Disable Mic

Note: If the **Mesh Grouping** is not completed within **30 seconds**, the current members will hear a low tone double beep and the new member will hear a voice prompt, **"Grouping failed"**.

7.5 Reset Mesh

If a headset in an **Open Mesh** or **Group Mesh** resets the **Mesh**, it will automatically return to **Open Mesh (default: channel 1)**.



7.6 Toggling Open Mesh/Group Mesh


Users are able to toggle between **Open Mesh** and **Group Mesh** without resetting the **Mesh**. This allows users to keep the **Group Mesh Network** connection information while in **Open Mesh**.

Users can toggle to **Group Mesh** to communicate with participants from the stored **Group Mesh Network** connection information.

7. MESH INTERCOM

What is Mesh Intercom?
Starting Mesh Intercom
Using the Mesh in Open Mesh
Using Mesh in Group Mesh
Reset Mesh
Toggling Open Mesh/ Group Mesh
Enable/ Disable Mic

Toggle Between Open Mesh and Group Mesh




Note: If you have never participated in **Group Mesh**, you cannot toggle between **Open Mesh** and **Group Mesh**. You will hear a voice prompt, **"No Group Available"**.

7.7 Enable/Disable Mic (Default: Enable)

Users can enable/disable the microphone when communicating in a **Mesh Intercom**.


Enable/Disable the Microphone



8. BLUETOOTH INTERCOM

Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom

Up to three people can communicate via intercom with the headset simply by pairing their headsets.



8.1 Intercom Pairing

There are two ways to pair the headset.

8.1.1 Using the Smart Intercom Pairing (SIP)

SIP allows you to quickly pair with your friends for intercom communication by scanning the QR code on the **SENA MOTORCYCLES App** without remembering the button operation.

1. Pair the mobile phone with the headset.
2. Open the **SENA MOTORCYCLES App** and tap (**Smart Intercom Pairing Menu**).
3. Scan the **QR code** displayed on your friend **(B)**'s mobile phone.
   - Your friend **(B)** can display the QR code on the mobile phone by tapping > **QR code** () on the **SENA MOTORCYCLES App**.

8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users

Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom



4. Tap **Save** and check that your friend **(B)** is paired with **you (A)** correctly.
5. Tap **Scan** (📷) and repeat steps 3-4 to pair with **Intercom Friends (C)** and **(D)**.

Note: The **Smart Intercom Pairing (SIP)** is not compatible with Sena products that use **Bluetooth 3.0** or **below**.


8. BLUETOOTH INTERCOM

Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom


8.1.2 Using the Button



1. The **users (You, B)** enter into **Intercom Pairing**.



Blinking



"Intercom pairing"

2. The **users' headsets** will be automatically paired.

Turns blue




3. Repeat the steps above to pair with **other headsets (C and D)**.


8. BLUETOOTH INTERCOM

8.2 Last-Come, First-Served

Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom

The intercom pairing queue is **Last-Come**, **First-Served**. If a headset has multiple paired headsets for intercom conversations, the last paired headset is set as the **First Intercom Friend**. For example, after the pairing procedures listed above, **headset (D)** is the **First Intercom Friend** of headset (A). **Headset (C)** is the **Second Intercom Friend** of headset (A), and **headset (B)** is the **Third Intercom Friend** of headset (A).





8. BLUETOOTH INTERCOM

8.3 Two-Way Intercom

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users

Group Intercom


Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

You can start or end an intercom conversation with an Intercom Friend by tapping the **Jog Dial**.


1. Tap once for Intercom **Friend 1.**

Start/End with Intercom Friend 1




2. Tap twice for Intercom **Friend 2.**

Start/End with Intercom Friend 2



3. Tap three times for Intercom **Friend 3.**

Start/End with Intercom Friend 3



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users

Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

8.4 Multi-Way Intercom


Multi-Way Intercom enables conference-call-style conversations with up to three **Intercom Friends** at the same time. While **Multi-Way Intercom** is in progress, mobile phone connection is temporarily disconnected. However, as soon as **Multi-Way Intercom** terminates, the mobile phone connection will be reestablished.

8.4.1 Starting a Three-Way Intercom Conference

You (A) can have a **Three-Way Intercom Conference** with two other **Intercom Friends (B & C)** by establishing two intercom connections simultaneously.

1. Pair your headset (A) with those of two other **Intercom Friends (B & C)**. Please refer to **Section 8.1: "Intercom Pairing"** for pairing instructions.

Pair with Intercom Friends B & C



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users


Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom


2. Start an intercom conversation with one of the two friends in your intercom group. For example, **you (A)** may start an intercom conversation with the **Intercom Friend (B)**. Or, **Intercom Friend (B)** may start an intercom call with **you (A)**.

Starting an Intercom Conversation with Intercom Friend B



3. Then, **you (A)** can call the second **Intercom Friend (C)**, or the second **Intercom Friend (C)** may join the intercom by making an intercom call to **you (A)**.

Starting an Intercom Conversation with Intercom Friend C



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users


Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

4. Now **you (A)** and two **Intercom Friends (B & C)** are having a **Three-Way Intercom Conference**.


Three-Way Intercom



8.4.2 Starting a Four-Way Intercom Conference

With three **Intercom Friends** connected, a new participant **(D)** can make it a **Four-Way Intercom Conference** by making an intercom call to either **(B)** or **(C)**.

Starting a Four-Way Intercom



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users

Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

8.4.3 Ending Multi-Way Intercom


1. Press the **Jog Dial** for **1 second** until you hear a beep to terminate all intercom connections.
2. Tap the **Jog Dial** to disconnect from your first **Intercom Friend**. Double tap the **Jog Dial** to disconnect from your second **Intercom Friend**.

8.5 Three-Way Conference Phone Call with Intercom Users

You can have a **Three-Way Conference Phone Call** by adding an **Intercom Friend** to the mobile phone conversation.

1. During a mobile phone call, tap the **Jog Dial once, twice or, three times** to invite one of your **Intercom Friends** to the conversation.

Invite an Intercom Friend into Phone Conference



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users


Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom


2. To disconnect the intercom during a conference phone call, tap the **Jog Dial once, twice or three times**.

Disconnect Intercom Friend from Conference



3. To disconnect the mobile phone call during a conference phone call, tap the **Phone Button**.

End Phone Call from Conference



Note: When you have an incoming intercom call during a mobile phone call, you will hear high tone double beeps.

8. BLUETOOTH INTERCOM


Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom


8.6 Group Intercom

Group Intercom allows you to instantly create a **Multi-Way Conference Intercom** with three of the most recently paired headsets.

1. Go through intercom pairing with up to three headsets you want to have **Group Intercom** with.
2. Press the **Ambient Mode Button** for **1 second** to begin **Group Intercom**. The LED will flash green and you will hear a voice prompt, "**Group intercom**".


Start Group Intercom





"Group intercom"

3. When all of the headsets are connected together, everyone will hear the voice prompt, "**Group intercom connected**."



"Group intercom connected"




8. BLUETOOTH INTERCOM

Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom

4. To terminate **Group Intercom**, press the **Ambient Mode Button** for **1 second** during **Group Intercom**. You will hear a voice prompt, "**Group intercom terminated**".

End Group Intercom



8.7 Mesh Intercom Conference with Bluetooth Intercom Participant

Users can use the existing Bluetooth intercom and **Mesh Intercom** function at the same time. In this case, it is recommended to communicate with other Sena headsets via Bluetooth intercom connection and use **Mesh Intercom** between 30K headsets. A user who is in **Open Mesh** or **Group Mesh** when using **Mesh Intercom** is able to include up to 3 of their Bluetooth intercom friends. You can start a Two-Way Intercom conversation with one of your three Intercom Friends to include them in the Mesh. Please refer to **Section 8.3: "Two-Way Intercom"** for more details. Or, you can use "Group Intercom" to include all of your Bluetooth intercom friends in the Mesh. Please refer to **Section 8.6: "Group Intercom"** for more details.

8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users


Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

Note:

- The audio quality will be reduced if a **30K** connects to 2 or more Bluetooth intercom friends while in **Open Mesh** or **Group Mesh** when using **Mesh Intercom**.
- If a closed loop is created, as shown below, each user will experience severe noise issues. Sena recommends that a closed loop not be created.



8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom


Three-Way Conference Phone Call with Intercom Users

Group Intercom

Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

- If **Bluetooth intercom** is accidentally turned on during **Mesh Intercom** communication between **30K** headsets, as shown below, you will hear a voice prompt, **"Mesh intercom disabled, Bluetooth intercom connected"** every **1 minute**. If you turn off the Bluetooth Intercom or turn off the **Mesh Intercom**, the voice prompt will no longer come out.



8.8 Universal Intercom


Universal Intercom allows you to have intercom conversations with users of non-Sena Bluetooth headsets. You can pair your headset with only one non-Sena headset at a time. The intercom distance depends on the performance of the Bluetooth headset to which it's connected. When a non-Sena Bluetooth headset is paired with the Sena headset, if another Bluetooth device is paired via **Second Mobile Phone Pairing**, it will be disconnected.

8. BLUETOOTH INTERCOM

Intercom Pairing
Last-Come, First-Served
Two-Way Intercom
Multi-Way Intercom
Three-Way Conference Phone Call with Intercom Users
Group Intercom
Mesh Intercom Conference with Bluetooth Intercom Participant
Universal Intercom

1. Execute **Universal Intercom** in the **Headset Configuration Menu**.

Access Universal Intercom in the Configuration Menu



2. Put the non-Sena Bluetooth headset in Pairing Mode. The headset will automatically pair with a non-Sena Bluetooth headset.

8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom

Three-Way Conference Phone Call with Intercom Users

Group Intercom


Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

8.8.1 Two-Way Universal Intercom

You can initiate the **Universal Intercom** connection with non-Sena Bluetooth headsets using the same intercom connection method as you would between other Sena headsets.

You may start/end a **Two-Way Universal Intercom** using the same way as you do in a normal **Two-Way Intercom**. Please refer to **Section 8.3: "Two-Way Intercom"**.



8.8.2 Multi-Way Universal Intercom

You can have **Multi-Way Intercom** communication with up to **three Intercom Friends** using non-Sena headsets. Some non-Sena headsets may not support **Multi-Way Universal Intercom**.

You may make the **Multi-Way Universal Intercom** call the same way as a normal four-way intercom call.

You may start/end a **Multi-Way Universal Intercom** using the same way as you do in a normal **Multi-Way Intercom**. Please refer to **Section 8.4: "Multi-Way Intercom"**.

8. BLUETOOTH INTERCOM

Intercom Pairing

Last-Come, First-Served

Two-Way Intercom

Multi-Way Intercom


Three-Way Conference Phone Call with Intercom Users

Group Intercom


Mesh Intercom Conference with Bluetooth Intercom Participant

Universal Intercom

Three-Way Universal Intercom




Four-Way Universal Intercom



9. AMBIENT MODE

You can hear the ambient sound outside of your helmet by activating the **Ambient Mode**. To activate the **Ambient Mode**, press the **Ambient Mode Button** twice which is placed on the bottom of the clamp unit. To deactivate the **Ambient Mode**, press the **Ambient Mode Button** twice again.

Ambient Mode



Note: The **Ambient Mode** has higher priority than mobile phone, so you cannot listen to music, or have an intercom conversation if the **Ambient Mode** is activated.

10. VOICE COMMAND

The **Voice Command** of the headset allows you to operate certain operations by simply using your voice. You can control the headset completely hands-free using the voice recognition.

- The **Voice Command** function works only with English commands.

Speak a Voice Command List

Mode Status	Function	Voice Command
Standby/ Bluetooth Intercom/ Mesh Intercom/ Music	Check battery	"Hey Sena, Check Battery"
	Volume Up	“Hey Sena, Volume Up”
	Volume Down	“Hey Sena, Volume Down”
	Phone Pairing	“Hey Sena, Phone Pairing”
	Bluetooth Intercom Pairing	“Hey Sena, Pairing Intercom”
	Start/End each Bluetooth Intercom	“Hey Sena, Intercom [one, two, three]”
Standby/ Bluetooth Intercom/ Music	Turn on Mesh Intercom	“Hey Sena, Mesh On”
Mesh Intercom	Turn off Mesh Intercom	“Hey Sena, Mesh Off”
	Mesh Grouping	“Hey Sena, Mesh Grouping”
	Switch to Open Mesh	“Hey Sena, Open Mesh”
	Switch to Group Mesh	“Hey Sena, Group Mesh”
	End the Bluetooth intercom and Mesh intercom	“Hey Sena, End intercom”

10. VOICE COMMAND

Mode Status	Function	Voice Command
Standby/ Bluetooth Intercom/ Mesh Intercom	Play Music	"Hey Sena, Play Music"
Music	Music - Next Track	"Hey Sena, Next"
	Music - Previous Track	"Hey Sena, Previous"
Music	Pause Music	"Hey Sena, Stop Music"
Answer an Incoming Call		"Answer"
Ignore an Incoming Call		"Ignore"

Note: Voice command performance may vary based on the environmental conditions including riding speed, helmet type and ambient noise. To improve the performance, minimize wind noise on the microphone by using a large microphone sponge and closing the visor.

11. FUNCTION PRIORITY AND FIRMWARE UPGRADES

11.1 Function Priority

Function Priority

The headset prioritizes connected devices in the following order:

(highest)	Ambient Mode
	Mobile phone
	Mesh Intercom/Bluetooth Intercom
	Music sharing via Bluetooth stereo
(lowest)	Bluetooth stereo music

A lower-priority function gets interrupted by a higher-priority function. For example, stereo music will be interrupted by an **Intercom Conversation**; an **Intercom Conversation** will be interrupted by an incoming mobile phone call.

11.2 Firmware Upgrades

Firmware Upgrades

The headset supports firmware upgrades. You can upgrade the firmware using the **Sena Device Manager**. Please visit **sena.com** to check for the latest software downloads.

Click Here to Visit sena.com

12. CONFIGURATION

12.1 Headset Configuration Setting


Headset Configuration Setting


Software Configuration Setting

The headset can be configured by following a series of voice prompts. Further details about each of these settings will be explained on the following pages.

1. To access the **Configuration Menu**, press and hold the **Jog Dial** for **10 seconds** until you hear the voice prompt, **"Configuration menu."**

Accessing the Configuration Menu







"Configuration menu"

2. Rotate the **Jog Dial** clockwise or counterclockwise to navigate between the menus. You will hear voice prompts for each menu item. The list of functions is shown in the **"Headset Configuration Menu"**on page 74.

Navigating Forward through the Menu






"[Menu prompt]"


12. CONFIGURATION

Headset Configuration Setting

Software Configuration Setting

Navigating Backward through the Menu






"[Menu prompt]"

3. You can enable the feature or execute the command by tapping the **Phone Button**.

Execute Menu Options



Headset Configuration Menu

Rotate the Jog Dial clockwise or counterclockwise	Tap the Phone Button
Delete All Pairings	Execute
Remote Control Pairing	Execute
Universal Intercom Pairing	Execute
Exit Configuration	Execute

12. CONFIGURATION

Headset Configuration Setting

12.1.1 Delete All Pairings

Delete All Bluetooth Pairing Information stored in the headset.

Software Configuration Setting

12.1.2 Remote Control Pairing

You can remotely control the headset using **Sena** Remote Control devices (sold separately).

1. Turn on the headset and the Remote Control device.
2. Execute **Remote Control Pairing**.
3. Enter pairing mode in the Remote Control device. The headset will automatically connect with the Remote Control device in pairing mode.

12.2 Software Configuration Setting

You can change the settings of the headset through the **Sena Device Manager** or the **SENA MOTORCYCLES App**.

SENA MOTORCYCLES

Sena Device Manager

12. CONFIGURATION

Headset Configuration Setting

Software Configuration Setting

12.2.1 Headset Language

You can select the device language. The selected language is maintained even when the headset is rebooted.

12.2.2 Audio Equalizer (Default: Off)

Increase or decrease the decibel level of different frequency ranges of audio.

- **Balance** will adjust all of the frequency ranges to be the same volume level (0 dB).
- **Bass Boost** will increase the bass range of audio (20 Hz - 250 Hz).
- **Mid Boost** will increase the mid range of audio (250 Hz - 4 kHz).
- **Treble Boost** will increase the high range of audio (4 kHz - 20 kHz).

12.2.3 VOX Phone (Default: Enable)

If this feature is enabled, you can answer incoming calls by voice. When you hear a ringtone for an incoming call, you can answer the phone by saying a word such as **“Hello”** loudly or by blowing air into the microphone. **VOX Phone** is temporarily disabled if you are connected to intercom. If this feature is disabled, you have to tap the **Jog Dial** or the **Phone Button** to answer an incoming call.

12. CONFIGURATION

12.2.4 VOX Intercom (Default: Disable)

If **VOX Intercom** is enabled, you can initiate an intercom conversation with the last connected intercom friend by voice. When you want to start intercom, say a word such as **"Hello"** loudly or blow air into the microphone. If you start an intercom conversation by voice, the intercom terminates automatically when you and your intercom friend remain silent for 20 seconds. However, if you manually start an intercom conversation by tapping the **Jog Dial**, you have to terminate the intercom conversation manually. However, if you start the intercom by voice and end it manually by tapping the **Jog Dial**, you will not be able to start intercom by voice temporarily. In this case, you have to tap the **Jog Dial** to restart the intercom. This is to prevent repeated unintentional intercom connections by strong wind noise. After rebooting the headset, you can start the intercom by voice again.

12.2.5 VOX Sensitivity (Default: 3)

VOX Sensitivity can be adjusted depending on your riding environment. **Level 5** is the highest sensitivity setting and **level 1** is the lowest.

12. CONFIGURATION

12.2.6 Bluetooth Intercom Audio Multitasking (Default: Disabled)

Audio Multitasking (Bluetooth Intercom Audio Multitasking and **Mesh Intercom Audio Multitasking)** allows you to have an intercom conversation while simultaneously listening to music or GPS instructions. The overlaid audio is played in the background with reduced volume whenever there is an intercom conversation and will return to normal volume once the conversation is finished.

The **Mesh Intercom Audio Multitasking** feature is always **on**.

Note:

- For **Bluetooth Intercom Audio Multitasking** to work properly, you need to power the headset off and on. **Please restart the headset**.
- **Bluetooth Intercom Audio Multitasking** will be activated during two-way intercom conversations with a headset that also supports this feature.
- Some GPS devices may not support this feature.
- The **Audio Multitasking** feature can be configured through the **Intercom-Audio Overlay Sensitivity** and the **Audio Overlay Volume Management settings**.

12. CONFIGURATION

12.2.7 Intercom-Audio Overlay Sensitivity (Default: 3)

The music and GPS volume will be lowered to play in the background if you talk over the intercom while the overlaid audio is playing. You can adjust the intercom sensitivity to activate this background audio mode. **Level 1** has the lowest sensitivity and **level 5** has the highest sensitivity.

Note: If your voice is not louder than the sensitivity of the selected level, the overlaid audio will not be lowered.

12.2.8 Audio Overlay Volume Management (Default: Disable)

The music and GPS overlaid audio reduces in volume whenever there is an ongoing intercom conversation. If **Audio Overlay Volume Management** is enabled, the volume level of the overlaid audio will not be reduced during an intercom conversation.

12.2.9 HD Intercom (Default: Enable)

HD Intercom enhances the two-way intercom audio from normal quality to HD quality. **HD Intercom** will become temporarily disabled when you enter into a multi-way intercom. If this feature is disabled, the two-way intercom audio will change to normal quality.

Note:

- The intercom distance of **HD Intercom** is relatively shorter than that of normal intercom.
- **HD Intercom** will become disabled temporarily when **Bluetooth Intercom Audio Multitasking** is enabled.

12. CONFIGURATION

12.2.10 HD Voice (Default: Enable)

HD Voice allows you to communicate in high-definition during phone calls. This feature increases the quality so that the audio will be crisp and clear during phone call conversations.

If this feature is enabled, incoming phone calls will interrupt intercom conversations and audio from the SR10 will not be heard during intercom conversations. Three-Way Conference Phone Call with Intercom Participant will not be available if **HD Voice** is enabled.

Note:

- Refer to the manufacturer of your Bluetooth device that will be connected to the headset to see if it supports **HD Voice**.
- **HD Voice** is active only when **Bluetooth Intercom Audio Multitasking** is disabled.

12.2.11 Smart Volume Control (Default: Disable)

Enabling **Smart Volume Control** automatically changes the level of the speaker volume based on the level of the environment noise. You can enable it by setting the sensitivity to **low**, **medium** or **high**.

12. CONFIGURATION

12.2.12 Sidetone (Default: Disable)

Sidetone is audible feedback of your own voice. It helps you to naturally speak at the correct level according to varying helmet noise conditions. If this feature is enabled, you can hear what you are speaking during an intercom conversation or a phone call.

12.2.13 Voice Prompt (Default: Enable)

You can disable **Voice Prompts** by software configuration settings, but the following voice prompts are always on.

- Headset configuration settings menu, battery level indicator, speed dial

12.2.14 Advanced Noise Control™ (Default: Enable)

When **Advanced Noise Control** is enabled, the background noise is reduced during an intercom conversation. When it is disabled, the background noise is mixed with your voice during intercom.

13. TROUBLESHOOTING

Fault Reset

Factory Reset


Please visit **sena.com** for answers to frequently asked questions. This detailed online FAQ section deals with troubleshooting, illustrates case studies and contains tips on using the headset.

Click Here to Visit sena.com

13.1 Fault Reset

When the headset is not working properly, you can easily reset the unit:

1. Locate the **pinhole reset button** below on the back of the main unit.
2. Gently insert a paperclip into the hole and tap the **Fault Reset Button** with light pressure.



3. The headset will shut down.

Note: Fault Reset will not restore the headset to factory default settings.


13. TROUBLESHOOTING


13.2 Factory Reset

Fault Reset

Factory Reset

To erase all of your settings and start fresh, the headset can be restored to factory default settings using the **Factory Reset** feature.





Note: If you press the **Phone Button** or don't press the **Jog Dial** within **5 seconds**, the reset attempt is canceled and the headset returns to standby mode. You will hear a voice prompt saying **"Canceled"**.

SENA

Copyright © 2022 Sena Technologies, Inc.
All rights reserved.

© 1998–2022 Sena Technologies, Inc. All rights reserved.

Sena Technologies, Inc. reserves the right to make any changes and improvements to its product without providing prior notice.

Sena™ is a trademark of Sena Technologies, Inc. or its subsidiaries in the USA and other countries. SF1™, SF2™, SF4™, SFR™, SRL™, Momentum™, Momentum INC™, Momentum Lite™, Momentum Pro™, Momentum INC Pro™, Momentum EVO™, Cavalry™, Latitude SR™, Latitude SX™, Latitude S1™, 30K™, 33i™, 50S™, 50R™, 50C™, 5S™, 5R™, 5R LITE™, 20S EVO™, 20S™, 10S™, 10C™, 10C PRO™, ProRide EVO™, 10C EVO™, 10U™, 10Upad™, 10R™, ACS10™, ACS-RAM™, C1™, 3S™, 3S PLUS™, SMH5™, SMH5-FM™, SMH5 MultiCom™, SMH10™, SMH10R™, SPH10™, SPH10H-FM™, Savage™, Prism Tube WiFi™, Prism™, Bluetooth Audio Pack for GoPro®, Impulse™, FURY™, R1™, R1 EVO™, R1 EVO CS™, R2™, R2 EVO™, R2X™, M1™, M1 EVO™, RUMBA™, RC1™, RC3™, RC4™, Stryker™, Handlebar Remote™, Wristband Remote™, PowerPro Mount™, Powerbank™, FreeWire™, WiFi Docking Station™, WiFi Sync Cable™, WiFi Adapter™, +mesh™, +Mesh Universal™, MeshPort Blue™, MeshPort Red™, MeshPort Black™, Econo™, OUTRUSH™, OUTRUSH R™, OUTSTAR™, OUTSTAR S™, OUTFORCE™, OUTRIDE™, OUTRUSH M™, ORCA 1™, EcoCom™, Parani A10™, Parani A20™, Parani M10™, pi™, Snowtalk™, Snowtalk2™, SR10™, SR10i™, SM10™, SPIDER RT1™, SPIDER ST1™, X1™, X1 Pro™, X1S™, Expand™, Expand Boom™, Expand Mesh™, Bluetooth Mic & Intercom™, Tufftalk™, Tufftalk Lite™, Tufftalk M™ are trademarks of Sena Technologies, Inc. or its subsidiaries. These trademarks may not be used without the express permission of Sena.

GoPro® is a registered trademark of Woodman Labs of San Mateo, California. Sena Technologies, Inc. (“Sena”) is not affiliated with Woodman Labs, Inc. The Sena Bluetooth Pack for GoPro® is an aftermarket accessory specially designed and manufactured by Sena Technologies, Inc. for the GoPro® Hero3 and Hero4 allowing for Bluetooth capabilities.

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sena is under license. iPhone® and iPod® touch are registered trademarks of Apple Inc.

Address: 152 Technology Drive Irvine, CA 92618